LED LIGHTING - NOXEL DLMM SERIES

Our Best in Class Down Lights

Great colour render with good efficiency

Our DLMM series are designed with the best material. Nicely build aluminium heat sink. High recessed aluminium reflector come with white galvanized metal recess ring. All these factor combine with best in class light source gives you the best colour rending properties with a good luminous efficiency of more than 70 lumen/watt.

Elegant and easy installation

The luminaire is designed with the driver build-in to the light fitting, making an elegant piece. This makes the down light easy to install too.

Applications:

- Retail Outlets
- Lobby/Atrium Area
- General Lighting
- Commercial Building

Model:


NX-DLMM-4 (1100lm/2000lm) NX-DLMM-6 (1100lm/2000lm) NX-DLMM-8 (1100lm/2000lm)

Powered by **PHILIPS**


Thinking of lights the different way. Save more, do more with LEDs. NOXEL LED. Light of the future.



WWW.NOXEL.COM




NOXEL DLMM SERIES




Module Powered by: PHILIPS

Specification

Model Code	Wattage	Luminous Flux (3000к/4000к/5000к)	Beam Angle (°)	Length (mm)	Diameter (mm)	Cut-out Size (mm)	Weight (g)
NX-DL-4-DLMM-01	15W	1000/1050/1100	60°	155	146	132	1070
NX-DL-6-DLMM-01	15W	1000/1050/1100	60°	158	192	180	1430
NX-DL-8-DLMM-01	15W	1000/1050/1100	60°	171	220	205	1930
NX-DL-4-DLMM-02	28W	1900/1950/2000	60°	155	146	132	1070
NX-DL-6-DLMM-02	28W	1900/1950/2000	60°	158	192	180	1430
NX-DL-8-DLMM-02	28W	1900/1950/2000	60°	171	220	205	1930









WWW.NOXEL.COM

Photometric Data






NX-DL-6-DLMM-01


105 309 η = 100% cd/klm _____ C0 - C180 90 - C270

NX-DL-8-DLMM-01



NX-DL-8-DLMM-02


NX-DL-4-DLMM-01



NX-DL-4-DLMM-02



WWW.NOXEL.COM



NX-DL-6-DLMM-02