

Sometimes glass is the best fit

Our FSDL series are made with tempered glass with white colour rimmed. It is perfect for high end residential buildings where glass down lights blend it just perfectly. The glass are also sand blasted so that the light source do not produce must glare. If you are looking for glass LED down lights fitting, FSDL series is your best bet.

Elegant and easy installation

The luminaire is designed with the driver build-in to the light fitting, making an elegant piece. This makes the down light easy to install too.

Applications:

- Residential Building
- Lobby/Atrium Area
- General Lighting
- Commercial Building

Model:

NX-FSDL-4 (1100lm/2000lm) NX-FSDL-6 (1100lm/2000lm)

Powered by **PHILIPS**

Thinking of lights the different way. Save more, do more with LEDs.

NOXEL LED. Light of the future.






NOXEL DLMM SERIES














Specification

Model Code	Wattage	Luminous Flux (3000K/4000K/5000K)	Beam Angle (°)	Height (mm)	Diameter (mm)	Cut-out Size (mm)	Weight (g)
NX-FSDL-4-02-R-01	14W	1000/1050/1100	98°	77.8	145	126	300
NX-FSDL-4-02-S-01	14W	1000/1050/1100	98°	77.8	145.6 x 145.6	126	300
NX-FSDL-6-02-R-01	14W	1000/1050/1100	98°	86.2	210	176	400
NX-FSDL-4-02-R-02	28W	1900/1950/2000	98°	77.8	145	126	300
NX-FSDL-4-02-S-02	28W	1900/1950/2000	98°	77.8	145.6 x 145.6	126	300
NX-FSDL-6-02-R-02	28W	1900/1950/2000	98°	86.2	210	176	400

R=(ROUND); S=(SQUARE)











Photometric Data





NX-FSDL-4-02-R/S

NX-FSDL-6-02-R



